



WaterMark Level 1

Certificate of Conformity

Australian Certification Services Pty Ltd grants to the WaterMark User:

Coast Distributors Pty Ltd

Trading as Coast Distributors Pty Ltd

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database www.abcb.gov.au/product-certification which have been shown to comply with the relevant Standard/s and level of certification referred to below. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Ice Makers
Evaluated to: ATS 5200.105:2005 Technical Specification for plumbing and drainage products
Part 105: Appliances—Beverage dispensers and icemakers

Paul Greig
General Manager

Issue Date: 17th December 2015
Initial Issue Date: 17th December 2015
Expiry Date: 16th December 2020

Certificate No.: 23245

This certificate remains the property of Australian Certification Services Pty Ltd

WaterMark Level 1 certification is a conformity assessment scheme based on ISO Guide 67 (system 5)





WaterMark Certification Schedule

The WaterMark User	Coast Distributors Pty Ltd ABN: 86 002 020 162 46 Box Road Taren Point NSW 2229 AUSTRALIA Website: www.coastdistributors.com.au
Certificate Number	23245
Level of Certification	WaterMark Level 1
Certification Standards:	ATS 5200.105:2005 Technical Specification for plumbing and drainage products Part 105: Appliances—Beverage dispensers and icemakers

Product Listing

Model Identification	Model Name	Brand Name	Product Description
HCE1000A	Horizon Series Ice Maker	FOLLET	Ice (Chewblet) Maker with Transport Tube 676Wx579Dx597Hmm 457kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
HCE1400A	Horizon Series Ice Maker	FOLLET	Ice (Chewblet) Maker with Transport Tube 752Wx605Dx597Hmm 620kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
HCE700A	Horizon Series Ice Makers	FOLLET	Ice (Chewblet) Maker with Transport Tube 577Wx616Dx540Hmm 295kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
MCE400A	Maestro Chewblet Ice Maker	FOLLET	Ice (Chewblet) Maker 480Wx578Dx432Hmm 198kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
MFE400A	Maestro Flake Ice Maker	FOLLET	Ice (Flake) Maker 480Wx578Dx432Hmm 198kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description
UFE425A80	Maestro Flake Self Contained Ice Maker	FOLLET	Ice Machine (Maestro Chewbit and Flake Self Contained) 597Wx660Dx838Hmm 193kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
UME425A80	Maestro Chewblet Self Contained Ice Maker	FOLLET	Ice Machine (Maestro Chewbit and Flake Self Contained) 597Wx660Dx838Hmm 193kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICE0305	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx508Hmm 164kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICE0325	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Slim Line Top Air Discharge - Modular Cube) 567Wx621Dx588Hmm 137kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICE0405	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx508Hmm 166kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICE0525	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Slim Line Top Air Discharge - Modular Cube) 567Wx621Dx589Hmm 254kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICE0605	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx508Hmm 289kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICE0805	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx662Hmm 405kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description
ICE0855	Modular Grande Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Grande Cube) 765Wx616Dx662Hmm 385kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICE1005	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx662Hmm 438kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICE1405	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 1226Wx616Dx660Hmm 623kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICEF155	Self Contained Flake Ice Maker	ICE O MATIC	Ice Machine (Self Contained Flake) 529Wx626Dx796Hmm 70kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICEU0225	Self Contained Cube Ice Maker	ICE O MATIC	Ice Machine (Self Contained Cube) 623Wx667Dx911Hmm 96kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICEU0305	Self Contained Cube Ice Maker	ICE O MATIC	Ice Machine (Self Contained Cube) 771Wx761Dx991Hmm 127kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICEU036	Self Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self Contained Gourmet) 333Wx457Dx599Hmm 17kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICEU046	Self Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self Contained Gourmet) 390Wx515Dx640Hmm 20kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description
ICEU066	Self Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self Contained Gourmet) 467Wx570Dx690Hmm 26kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICEU086	Self Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self Contained Gourmet) 467Wx570Dx690Hmm 35kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICEU126	Self Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self Contained Gourmet) 467Wx570Dx790Hmm 55kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
ICEU146	Self Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self Contained Gourmet) 515Wx600Dx910Hmm 70kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
MFI0805	Modular Flake Ice Maker	ICE O MATIC	Ice Machine (Modular Flake) 533Wx610Dx686H 333kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
MFI1255	Modular Flake Ice Maker	ICE O MATIC	Ice Machine (Modular Flake) 533Wx610Dx686H 572kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF0.4AR	FF-AR Series	GRANT	Ice (Flake) Maker 1090Wx700Dx720Hmm 400kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF0.6AR	FF-AR Series	GRANT	Ice (Flake) Maker 1250Wx750Dx880Hmm 600kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description
FF1.5AR	FF-AR Series	GRANT	Ice (Flake) Maker 1320Wx1050Dx1050Hmm 1500kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF1AR	FF-AR Series	GRANT	Ice (Flake) Maker 1320Wx1050Dx870Hmm 1000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF2.5AR	FF-AR Series	GRANT	Ice (Flake) Maker 1600Wx1050Dx1250Hmm 2500kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF2AR	FF-AR Series	GRANT	Ice (Flake) Maker 1600Wx1050Dx1150Hmm 2000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF3.2AR	FF-AR Series	GRANT	Ice (Flake) Maker 1600Wx1050Dx1500Hmm 3200kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF5.0AS	FF-AR Series	GRANT	Ice (Flake) Maker 2100Wx1800Dx1250Hmm 5000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF0.4E	FF-E Series	GRANT	Ice (Flake) Maker 1090Wx720Dx720Hmm 400kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF0.6E	FF-E Series	GRANT	Ice (Flake) Maker 1250Wx750Dx820Hmm 600kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description
FF1.5E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1050Hmm 1500kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF1E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx870Hmm 1000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF2.5E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1250Hmm 2000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF2E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1080Hmm 2000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF3.2E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1300Hmm 3200kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve
FF5E	FF-E Series	GRANT	Ice (Flake) Maker 1150Wx1850Dx1250Hmm 5000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve

