

Australian Certification Services Pty Ltd grants to the WaterMark Approved User:

Coast Distributors Pty Ltd

Trading as Coast Distributors Pty Ltd

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Ice Makers and Dispensing Units

Product Use: Commercial Applications

Brand: FOLLET/ICE O MATIC/GRANT/OSION

Evaluated to: WMTS 105:2016 Appliances—Beverage dispensers and icemakers Conditions or Limitations: To be installed in accordance with Plumbing Code of Australia (PCA)

Issue Date 23rd April 2021

Initial Issue Date: 17th December 2015

Expiry Date: 22nd March 2023

Paul Greig

General Manager

Certificate No.: 23245

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety





www.certificationservices.com.au



WaterMark Certification Schedule

| The WaterMark User | Coast Distributors Pty Ltd ABN: 86 002 020 162 |
|--------------------------|--|
| | 46 Box Road Taren Point NSW 2229 AUSTRALIA |
| | Website: www.coastdistributers.com.au |
| Manufacturer | 23245 |
| Certification Standards: | WMTS 105:2016 Appliances—Beverage dispensers and icemakers |
| Comments | Ice Makers are supplied with optional Ozone Generator Franke EcO3Ice |

Product Listing

| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|-----------------------------------|------------|---|
| HCE1000A | Horizon Series Ice Maker | FOLLET | Ice (Chewblet) Maker with Transport Tube 676Wx579Dx597Hmm 457kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| HCE1010A | Horizon Elite Series Ice Maker | FOLLET | Ice (Chewblet) Maker with Transport Tube 740Wx591Dx563Hmm 482kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| HME1010A | Horizon Elite Series Ice Maker | FOLLET | Ice (Micro Chewblet) Maker with Transport Tube740Wx591Dx563Hmm 482kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| HCE1400A | Horizon Series Ice Maker | FOLLET | Ice (Chewblet) Maker with Transport Tube 752Wx605Dx597Hmm 620kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| HCE1410A | Horizon Elite Series Ice Maker | FOLLET | Ice (Chewblet) Maker with Transport Tube 740Wx639Dx563Hmm 665kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|---------------------------------------|------------|---|
| HME1410A | Horizon Elite Series Ice Maker | FOLLET | Ice (Micro Chewblet) Maker with Transport Tube740Wx639Dx563Hmm 665kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| HCE700A | Horizon Series Ice Makers | FOLLET | Ice (Chewblet) Maker with Transport Tube 577Wx616Dx540Hmm 295kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| HME1000A | Horizon Series Ice Maker | FOLLET | Ice (Micro Chewblet) Maker with Transport Tube 676Wx579Dx597Hmm 457kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| HME1400A | Horizon Series Ice Maker | FOLLET | Ice (Micro Chewblet) Maker with Transport Tube 752Wx605Dx597Hmm 620kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| HME700A | Horizon Series Ice Makers | FOLLET | Ice (Micro Chewblet) Maker with Transport Tube 577Wx616Dx540Hmm 295kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| MCE400A | Maestro Chewblet Ice Maker | FOLLET | Ice (Chewblet) Maker 480Wx578Dx432Hmm 198kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| MCE425A | Maestro Plus Chewblet Ice Maker | FOLLET | Ice (Chewblet) Maker 576Wx616Dx540Hmm 193kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|--|------------|---|
| MFE425A | Maestro Plus Flake Ice Maker | FOLLET | Ice (Flake) Maker 576Wx 616Dx540Hmm 193kg/24hr Min/Max Operating Pressure69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| MFE400A | Maestro Flake Ice Maker | FOLLET | Ice (Flake) Maker 480Wx578Dx432Hmm 198kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| UFE425A80 | Maestro Flake Self Contained Ice Maker | FOLLET | Ice Machine (Maestro Chewbit and Flake Self Contained) 597Wx660Dx838Hmm 193kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| UME425A80 | Maestro Chewblet Self Contained Ice Maker | FOLLET | Ice Machine (Maestro Chewbit and Flake Self Contained) 597Wx660Dx838Hmm 193kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E110FB400A | 110 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Freestanding) 667Wx718Dx1730Hmm 198kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E12C1400A | 12 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Countertop) 409Wx597Dx826Hmm 182kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E12C1425A | 12 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Countertop) 409Wx597Dx826Hmm 186kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|---------------------------|------------|--|
| E12C1400A | 12 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Freestanding) 409Wx597Dx826Hmm 182kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E15CI100A | 15 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Countertop) 371Wx597Dx572Hmm 40.8kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E15FS100A | 15 Series Freestanding | FOLLET | Ice (Chewblet) and Water Dispenser (Freestanding) 371Wx597Dx1194Hmm 54.4kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E25FB400A | 25 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Countertop) 578Wx599Dx1578Hmm 198kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E25Cl425A | 25 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Countertop) 533Wx610Dx914Hmm 186kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E50FB400A | 50 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Freestanding) 578Wx599Dx1679Hmm 198kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E50Cl425A | 50 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Countertop) 533Wx610Dx1016Hmm 186kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|--------------------------|------------|--|
| E7CI100A | 7 Series Countertop | FOLLET | Ice (Chewblet) and Water Dispenser (Countertop) 371Wx562Dx447Hmm 54.4kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E7FS100A | 7 Series Freestanding | FOLLET | Ice (Chewblet) and Water Dispenser (Freestanding) 371Wx562Dx1067Hmm 54.4kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| E7UC100A | 7 Series Undercounter | FOLLET | Ice (Chewblet) and Water Dispenser (Underconter) 371Wx562Dx850Hmm 54.4kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| EVU155NW | Vision Dispenser | FOLLET | Ice (Chewblet) Only Dispenser 794Wx696Dx1267Hmm Undercounter Ice Storage 68kg Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| EVU155N | Vision Dispenser | FOLLET | Ice (Chewblet) and Water Dispenser 794Wx695Dx1267Hmm Undercounter Ice Storage 68kg Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| VU300 | Vision Dispenser | FOLLET | Ice (Chewblet) and Beverage Dispenser (8 or 10 Valves) Low Profile 1038Wx822Dx1390Hm (8/10 valve) 1267Wx822Dx1390Hm (12 valve) Undercounter Ice Storage 136kg Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|----------------------------------|-------------|--|
| ICE0305 | Modular Cube Ice Maker | ICE O MATIC | Ice Machine (Modular Cube) 765Wx616Dx508Hmm 164kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICE0325 | Modular Cube Ice Maker | ICE O MATIC | Ice Machine (Slim Line Top Air Discharge - Modular Cube) 567Wx621Dx588Hmm 137kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICE0405 | Modular Cube Ice Maker | ICE O MATIC | Ice Machine (Modular Cube) 765Wx616Dx508Hmm 166kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICE0525 | Modular Cube Ice Maker | ICE O MATIC | Ice Machine (Slim Line Top Air Discharge - Modular Cube) 567Wx621Dx589Hmm 254kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICE0605 | Modular Cube Ice Maker | ICE O MATIC | Ice Machine (Modular Cube) 765Wx616Dx508Hmm 289kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICE0805 | Modular Cube Ice Maker | ICE O MATIC | Ice Machine (Modular Cube) 765Wx616Dx662Hmm 405kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICE0855 | Modular Grande Cube Ice Maker | ICE O MATIC | Ice Machine (Modular Grande Cube) 765Wx616Dx662Hmm 385kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICE1005 | Modular Cube Ice Maker | ICE O MATIC | Ice Machine (Modular Cube) 765Wx616Dx662Hmm 438kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|---------------------------------------|-------------|---|
| ICE1405 | Modular Cube Ice Maker | ICE O MATIC | Ice Machine (Modular Cube) 1226Wx616Dx660Hmm 623kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICEF155 | Self Contained Flake Ice Maker | ICE O MATIC | Ice Machine (Self Contained Flake) 529Wx626Dx796Hmm 70kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICEU225 | Self Contained Cube Ice Maker | ICE O MATIC | Ice Machine (Self Contained Cube) 623Wx667Dx911Hmm 96kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICEU305 | Self Contained Cube Ice Maker | ICE O MATIC | Ice Machine (Self Contained Cube) 771Wx761Dx991Hmm 136kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICEU36 | Self Contained Goumet Ice Maker | ICE O MATIC | Ice Machine (Self Contained Goumet) 333Wx457Dx599Hmm 17kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICEU46 | Self Contained Goumet Ice Maker | ICE O MATIC | Ice Machine (Self Contained Goumet) 390Wx515Dx640Hmm 20kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICEU66 | Self Contained Goumet Ice Maker | ICE O MATIC | Ice Machine (Self Contained Goumet) 467Wx570Dx690Hmm 27kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|---------------------------------------|-------------|---|
| ICEU86 | Self Contained Goumet Ice Maker | ICE O MATIC | Ice Machine (Self Contained Goumet) 467Wx570Dx690Hmm 37kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICEU126 | Self Contained Goumet Ice Maker | ICE O MATIC | Ice Machine (Self Contained Goumet) 467Wx570Dx790Hmm 55kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ICEU146 | Self Contained Goumet Ice Maker | ICE O MATIC | Ice Machine (Self Contained Goumet) 515Wx600Dx910Hmm 70kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| MFI0805 | Modular Flake Ice Maker | ICE O MATIC | Ice Machine (Modular Flake) 533Wx610Dx686H 333kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| MFI1255 | Modular Flake Ice Maker | ICE O MATIC | Ice Machine (Modular Flake) 533Wx610Dx686H 572kg/24hr Min/Max Operating Pressure 80/500kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM0335 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 768Wx616Dx540Hmm 141kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM0435 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 768Wx616Dx540Hmm 227kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM0535 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 768Wx616Dx540Hmm 240kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|------------------|-------------|--|
| CIM0635 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 768Wx616Dx540Hmm 281kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM0325 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 565Wx616Dx540Hmm 143kg/24hr Min/Max Operating Pressure 140/410kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM0525 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 565Wx616Dx540Hmm 266kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM0825 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 565Wx616Dx683Hmm 418kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM0835 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 768Wx616Dx683Hmm 418kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM0835G | Elevation series | ICE O MATIC | Ice Machine (Grande Cube) 768Wx616Dx683Hmm 383kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM1125 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 565Wx616Dx683Hmm 439kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM1135 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 768Wx616Dx683Hmm 469kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|------------------|-------------|---|
| CIM1545 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 1226Wx616Dx660Hmm 728kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CIM1845 | Elevation series | ICE O MATIC | Ice Machine (Full/Half Cube) 1226Wx616Dx660Hmm 787kg/24hr Min/Max Operating Pressure 140/550kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF0.4AR | FF-AR Series | GRANT | Ice (Flake) Maker 1090Wx700Dx720Hmm 400kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF0.6AR | FF-AR Series | GRANT | Ice (Flake) Maker 1250Wx750Dx880Hmm 600kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF1.5AR | FF-AR Series | GRANT | Ice (Flake) Maker 1320Wx1050Dx1050Hmm 1500kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF1AR | FF-AR Series | GRANT | Ice (Flake) Maker 1320Wx1050Dx870Hmm 1000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF2.5AR | FF-AR Series | GRANT | Ice (Flake) Maker 1600Wx1050Dx1250Hmm 2500kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF2AR | FF-AR Series | GRANT | Ice (Flake) Maker 1600Wx1050Dx1150Hmm 2000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|--------------|------------|--|
| FF3.2AR | FF-AR Series | GRANT | Ice (Flake) Maker 1600Wx1050Dx1500Hmm 3200kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF5.0AS | FF-AR Series | GRANT | Ice (Flake) Maker 2100Wx1800Dx1250Hmm 5000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF0.4E | FF-E Series | GRANT | Ice (Flake) Maker 1090Wx720Dx720Hmm 400kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CF0.4E | FF-E Series | GRANT | Ice (Flake) Maker 1090Wx720Dx720Hmm 400kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF0.6E | FF-E Series | GRANT | Ice (Flake) Maker 1250Wx750Dx820Hmm 600kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CF0.6E | CF-E Series | GRANT | Ice (Flake) Maker 1250Wx750Dx820Hmm 600kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF1.5E | FF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx1050Hmm 1500kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CF1.5E | CF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx1050Hmm 1500kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |



Page **12** of **14**





| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|-------------|------------|---|
| FF1E | FF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx870Hmm 1000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CF1E | CF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx870Hmm 1000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF2.5E | FF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx1250Hmm 2000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CF2.5E | CF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx1250Hmm 2000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF2E | FF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx1080Hmm 2000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CF2E | CF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx1080Hmm 2000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| FF3.2E | FF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx1300Hmm 3200kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CF3.2E | CF-E Series | GRANT | Ice (Flake) Maker 1050Wx850Dx1300Hmm 3200kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |







| Model Identification | Model Name | Brand Name | Product Description |
|-------------------------|-------------------------------|------------------------------|--|
| FF5E | FF-E Series | GRANT | Ice (Flake) Maker 1150Wx1850Dx1250Hmm 5000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CF5E | CF-E Series | GRANT | Ice (Flake) Maker 1150Wx1850Dx1250Hmm 5000kg/24hr Min/Max Operating Pressure 69/483kPa 3/8 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| ZBF-20 | | OSION | Ice Machine (Full Dice Cube) Counter Top and Undercounter (380Wx470Dx600Hmm) 22kg/24hr Min/Max Operating Pressure 130/550kPa 1/4 Push Fit Connection End Installed with Combination PLV Dual Check Valve |
| CD500B | Coast/Follet Filter System | FOLLET/COAST DISTRIBUTORS | Water Treatment Inlet Connection Kit Incorporating Dual Check Valve Pressure Limiting Valve (500kPa) Prefilter (1 micron) Membrane Filter (0.2micron) |







www.certificationservices.com.au