



# WaterMark

## Certificate of Conformity

Pro-Switch Pty Ltd grants to the WaterMark Approved User:

# Coast Distributors Pty Ltd

Trading as Coast Distributors Pty Ltd

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database [www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme](http://www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme) which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Ice Makers and Dispensing Units  
Product Use: Commercial Applications  
Brand: FOLLET/ICE O MATIC/GRANT/OSION  
Certification Specification/s: WMTS 105:2016 Appliances—Beverage dispensers and icemakers  
Conditions or Limitations: To be installed in accordance with Plumbing Code of Australia (PCA)

Simon Clarke

General Manager

Issue Date: 17<sup>th</sup> July 2023  
Initial Issue Date: 17<sup>th</sup> December 2015  
Expiry Date: 20<sup>th</sup> March 2028

Certificate No.: 23245

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety





# WaterMark Certification Schedule

The WaterMark User	Coast Distributors Pty Ltd ABN: 86 002 020 162 46 Box Road Taren Point NSW 2229 AUSTRALIA Website: <a href="http://www.coastdistributors.com.au">www.coastdistributors.com.au</a>
Manufacturer	Coast Distributors Pty Ltd
Certificate Number	23245
Certification Standards:	WMTS 105:2016 Appliances—Beverage dispensers and icemakers

## Product Listing

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
CD500B	Coast/Follet Filter System	FOLLET/COAST DISTRIBUTORS	Water Treatment Inlet Connection Kit Incorporating Prefilter (1 micron) Membrane Filter (0.2micron)	Pressure Limiting Valve (500kPa)	Dual Check Valve
CF0.4E	FF-E Series	GRANT	Ice (Flake) Maker 1090Wx720Dx720Hmm 400kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
CF0.6E	CF-E Series	GRANT	Ice (Flake) Maker 1250Wx750Dx820Hmm 600kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
CF1.5E	CF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1050Hmm 1500kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve





# WaterMark Certification Schedule

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
CF1E	CF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx870Hmm 1000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
CF2.5E	CF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1250Hmm 2000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
CF2E	CF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1080Hmm 2000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
CF3.2E	CF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1300Hmm 3200kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
CF5E	CF-E Series	GRANT	Ice (Flake) Maker 1150Wx1850Dx1250Hmm 5000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
CIM0325	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 565Wx616Dx540Hmm 143kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM0335	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 768Wx616Dx540Hmm 141kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM0435	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 768Wx616Dx540Hmm 227kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
CIM0525	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 565Wx616Dx540Hmm 266kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM0535	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 768Wx616Dx540Hmm 240kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM0635	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 768Wx616Dx540Hmm 281kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM0825	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 565Wx616Dx683Hmm 418kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM0835	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 768Wx616Dx683Hmm 418kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM0835G	Elevation series	ICE O MATIC	Ice Machine (Grande Cube) 768Wx616Dx683Hmm 383kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM1125	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 565Wx616Dx683Hmm 439kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM1135	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 768Wx616Dx683Hmm 469kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
CIM1545	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 1226Wx616Dx660Hmm 728kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
CIM1845	Elevation series	ICE O MATIC	Ice Machine (Full/Half Cube) 1226Wx616Dx660Hmm 787kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
E110FB400A	110 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Freestanding) 667Wx718Dx1730Hmm 198kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E12C1400A	12 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Countertop) 409Wx597Dx826Hmm 182kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E12C1400A	12 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Freestanding) 409Wx597Dx826Hmm 182kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E12C1425A	12 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Countertop) 409Wx597Dx826Hmm 186kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
E12CI414A	12 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Countertop) 409Wx597Dx826Hmm 186kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E15C1100A	15 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Countertop) 371Wx597Dx572Hmm 40.8kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E15FS100A	15 Series Freestanding	FOLLET	Ice (Chewblet) and Water Dispenser (Freestanding) 371Wx597Dx1194Hmm 54.4kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E25C1425A	25 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Countertop) 533Wx610Dx914Hmm 186kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E25FB400A	25 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Countertop) 578Wx599Dx1578Hmm 198kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E50C1425A	50 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Countertop) 533Wx610Dx1016Hmm 186kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve





# WaterMark Certification Schedule

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
E50FB400A	50 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Freestanding) 578Wx599Dx1679Hmm 198kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E7C1100A	7 Series Countertop	FOLLET	Ice (Chewblet) and Water Dispenser (Countertop) 371Wx562Dx447Hmm 54.4kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E7FS100A	7 Series Freestanding	FOLLET	Ice (Chewblet) and Water Dispenser (Freestanding) 371Wx562Dx1067Hmm 54.4kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
E7UC100A	7 Series Undercounter	FOLLET	Ice (Chewblet) and Water Dispenser (Undercounter) 371Wx562Dx850Hmm 54.4kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
EVU155N	Vision Dispenser	FOLLET	Ice (Chewblet) and Water Dispenser 794Wx695Dx1267Hmm Undercounter Ice Storage 68kg 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
EVU155NW	Vision Dispenser	FOLLET	Ice (Chewblet) Only Dispenser 794Wx696Dx1267Hmm Undercounter Ice Storage 68kg 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
EZI20FA	ICE MAKER	EZI ICE	Ice Machine (Full Dice Cube) Countertop and Undercounter (380Wx470Dx600Hmm) 22kg/24hr 1/4 Push Fit Connection End	Min/Max Operating Pressure 130/550kPa	Combination PLV Dual Check Valve
FF0.4AR	FF-AR Series	GRANT	Ice (Flake) Maker 1090Wx700Dx720Hmm 400kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF0.4E	FF-E Series	GRANT	Ice (Flake) Maker 1090Wx720Dx720Hmm 400kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF0.6AR	FF-AR Series	GRANT	Ice (Flake) Maker 1250Wx750Dx880Hmm 600kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF0.6E	FF-E Series	GRANT	Ice (Flake) Maker 1250Wx750Dx820Hmm 600kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF1.5AR	FF-AR Series	GRANT	Ice (Flake) Maker 1320Wx1050Dx1050Hmm 1500kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF1.5E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1050Hmm 1500kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve





# WaterMark Certification Schedule

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
FF1AR	FF-AR Series	GRANT	Ice (Flake) Maker 1320Wx1050Dx870Hmm 1000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF1E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx870Hmm 1000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF2.5AR	FF-AR Series	GRANT	Ice (Flake) Maker 1600Wx1050Dx1250Hmm 2500kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF2.5E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1250Hmm 2000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF2AR	FF-AR Series	GRANT	Ice (Flake) Maker 1600Wx1050Dx1150Hmm 2000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF2E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1080Hmm 2000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF3.2AR	FF-AR Series	GRANT	Ice (Flake) Maker 1600Wx1050Dx1500Hmm 3200kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF3.2E	FF-E Series	GRANT	Ice (Flake) Maker 1050Wx850Dx1300Hmm 3200kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
FF5.0AS	FF-AR Series	GRANT	Ice (Flake) Maker 2100Wx1800Dx1250Hmm 5000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
FF5E	FF-E Series	GRANT	Ice (Flake) Maker 1150Wx1850Dx1250Hmm 5000kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HCE1000A	Horizon Series Ice Maker	FOLLET	Ice (Chewblet) Maker with Transport Tube 676Wx579Dx597Hmm 457kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HCE1010A	Horizon Elite Series Ice Maker	FOLLET	Ice (Chewblet) Maker with Transport Tube 740Wx591Dx563Hmm 482kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HCE1400A	Horizon Series Ice Maker	FOLLET	Ice (Chewblet) Maker with Transport Tube 752Wx605Dx597Hmm 620kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HCE1410A	Horizon Elite Series Ice Maker	FOLLET	Ice (Chewblet) Maker with Transport Tube 740Wx639Dx563Hmm 665kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve



# WaterMark Certification Schedule

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
HCE700A	Horizon Series Ice Makers	FOLLET	Ice (Chewblet) Maker with Transport Tube 577Wx616Dx540Hmm 295kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HCE710A	Horizon Elite Series Ice Makers	FOLLET	Ice (Chewblet) Maker with Transport Tube 577Wx622Dx540Hmm 306kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HME1000A	Horizon Series Ice Maker	FOLLET	Ice (Micro Chewblet) Maker with Transport Tube 676Wx579Dx597Hmm 457kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HME1010A	Horizon Elite Series Ice Maker	FOLLET	Ice (Micro Chewblet) Maker with Transport Tube 740Wx591Dx563Hmm 482kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HME1400A	Horizon Series Ice Maker	FOLLET	Ice (Micro Chewblet) Maker with Transport Tube 752Wx605Dx597Hmm 620kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HME1410A	Horizon Elite Series Ice Maker	FOLLET	Ice (Micro Chewblet) Maker with Transport Tube 740Wx639Dx563Hmm 665kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
HME700A	Horizon Series Ice Makers	FOLLET	Ice (Micro Chewblet) Maker with Transport Tube 577Wx616Dx540Hmm 295kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
HME710A	Horizon Elite Series Ice Makers	FOLLET	Ice (Micro Chewblet) Maker with Transport Tube 577Wx622Dx540Hmm 306kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
ICE0305	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx508Hmm 164kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICE0325	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Slim Line Top Air Discharge - Modular Cube) 567Wx621Dx588Hmm 137kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICE0405	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx508Hmm 166kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICE0525	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Slim Line Top Air Discharge - Modular Cube) 567Wx621Dx589Hmm 254kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
ICE0605	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx508Hmm 289kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICE0805	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx662Hmm 405kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICE0855	Modular Grande Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Grande Cube) 765Wx616Dx662Hmm 385kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICE1005	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 765Wx616Dx662Hmm 438kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICE1405	Modular Cube Ice Maker	ICE O MATIC	Ice Machine (Modular Cube) 1226Wx616Dx660Hmm 623kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICEF155	Self-Contained Flake Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Flake) 529Wx626Dx796Hmm 70kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
ICEU126	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 467Wx570Dx790Hmm 55kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
ICEU146	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 515Wx600Dx910Hmm 70kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
ICEU225	Self-Contained Cube Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Cube) 623Wx667Dx911Hmm 96kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICEU305	Self-Contained Cube Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Cube) 771Wx761Dx991Hmm 136kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 140/410kPa	Combination PLV Dual Check Valve
ICEU036	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 333Wx457Dx599Hmm 17kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
ICEU046	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 390Wx515Dx640Hmm 20kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
ICEU066	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 467Wx570Dx690Hmm 27kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve



Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
ICEU086	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 467Wx570Dx690Hmm 37kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
MCE400A	Maestro Chewblet Ice Maker	FOLLET	Ice (Chewblet) Maker 480Wx578Dx432Hmm 198kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
MCE425A	Maestro Plus Chewblet Ice Maker	FOLLET	Ice (Chewblet) Maker 576Wx616Dx540Hmm 193kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
MCE414A	Maestro Plus Chewblet Ice Maker	FOLLET	Ice (Chewblet) Maker 576Wx616Dx540Hmm 193kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
MFE400A	Maestro Flake Ice Maker	FOLLET	Ice (Flake) Maker 480Wx578Dx432Hmm 198kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
MFE425A	Maestro Plus Flake Ice Maker	FOLLET	Ice (Flake) Maker 576Wx 616Dx540Hmm 193kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
MFE414A	Maestro Plus Flake Ice Maker	FOLLET	Ice (Flake) Maker 576Wx 616Dx540Hmm 193kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
MF10805	Modular Flake Ice Maker	ICE O MATIC	Ice Machine (Modular Flake) 533Wx610Dx686H 333kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
MF11255	Modular Flake Ice Maker	ICE O MATIC	Ice Machine (Modular Flake) 533Wx610Dx686H 572kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG045	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 387Wx510Dx656Hmm 20.5kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG045APD	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 387Wx510Dx656Hmm 20.5kg/24hr with Pump Out Drain 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG065	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 387Wx510Dx791Hmm 27kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve





Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
UCG065APD	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 387Wx510Dx791Hmm 27kg/24hr with Pump Out Drain 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG085	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 463Wx566Dx842Hmm 38.5kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG085APD	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 463Wx566Dx842Hmm 38.5kg/24hr with Pump Out Drain 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG105	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 463Wx566Dx896Hmm 47.5kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG105APD	Self-Contained Gourmet Ice Maker 48kg pump out drain	Ice-O-Matic	Ice Machine (Self-Contained Gourmet) 436Wx566Dx896Hmm 47.5kg/24hr with Pump Out Drain 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve



# WaterMark Certification Schedule

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
UCG135	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 463Wx566Dx896Hmm 58kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG135APD	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 463Wx566Dx896Hmm 58kg/24hr with Pump Out Drain 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UCG165	Self-Contained Gourmet Ice Maker	ICE O MATIC	Ice Machine (Self-Contained Gourmet) 537Wx601Dx1016Hmm 73kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 80/500kPa	Combination PLV Dual Check Valve
UFE425A80	Maestro Flake Self-Contained Ice Maker	FOLLET	Ice Machine (Maestro Chewbit and Flake Self Contained) 597Wx660Dx838Hmm 193kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve
UME425A80	Maestro Chewblet Self-Contained Ice Maker	FOLLET	Ice Machine (Maestro Chewbit and Flake Self Contained) 597Wx660Dx838Hmm 193kg/24hr 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve





# WaterMark Certification Schedule

Model Identification	Model Name	Brand Name	Product Description	Operating Pressure	Backflow prevention
VU300	Vision Dispenser	FOLLET	Ice (Chewblet) and Beverage Dispenser (8 or 10 Valves) Low Profile 1038Wx822Dx1390Hm (8/10 valve) 1267Wx822Dx1390Hm (12 valve) Undercounter Ice Storage 136kg 3/8 Push Fit Connection End	Min/Max Operating Pressure 69/483kPa	Combination PLV Dual Check Valve

